

Shin-I S-B17SL beader

Quality used horizontal beading machine with 4 heads.

Technical specifications

CazProductNumber	5193
Name	Shin-I S-B17SL
Function(s)	beader
Tooling	127 mm
Year of Construction	1993
Can height min	180 mm
Can height max	280 mm
Can end diameter min	127 mm
Can end diameter max	178 mm
Can shape	round
Speed upto	120 cans per minute

Videos

There are no videos available for this product.

Photos





Shin-I S-B17SL beader
CPN 5193 - Page 2 of 3



Cazander stock easily accessible on your mobile!
cazander.com/app

Follow us




自動滾加強環機 AUTOMATIC BEADING MACHINE

S-B17S 系列自動滾加強環機採用臥式設計，特別加強滾輪之結構強度而使用 V 形滾輪設計，使補強環與帶鋼一致。使用 4 對或 8 對滾加強輪，適用範圍廣，加上多重安全系統以及維修極簡型極便快速，使本系列滾加強環機成爲中速加強環機最佳選擇。

S B17S series beader with horizontal design for can body beading. Special V roller driven by cylinder cam for can with roller can easily increase can body strength and reduce plate cost. Equipped with lining roller and roller for body feeding. This improvement make it more easy for operating and adjustment. It is the reason why S-B17S series beader will one of best beader in world.

S-B17A S-B17S(L)

Complies with
ISO-9001
Quality Management System



新益機械工廠股份有限公司
SHIN-I MACHINERY WORKS CO., LTD.

